

12.DyeTech1

Monday, March 15, 2010

4:17 PM

Today

Finish Team 1 critiques

Start specific FV techniques: Dyes

Admin

- <http://gopro.com/careers> Internships and full time jobs at GoPro, makers of Hero cameras.
- Get Wet graded reports in my office
- Invite friends, family to Lobby Show Friday 5/3, 2 pm-4pm. Help set up at 1 pm. Not required, but fun to show off your work this semester

Minute paper: Group dynamics. Have you been able to meet? If not, why not?

What can be done? Anonymous is OK.

Best/worst aspects of your FV team

SPECIFIC FV techniques

Boundary techniques. Boundary between 'seeded' and unseeded fluid.

Choice depends on physics desired

1 DYES Today. Mostly in water.

2 Aerosols Particles. Mostly in air for boundary effect.

In this class, often visualization technique determines physics examined, but usually physics are determined by system under study, and FV technique applied should not disturb the flow/physics

I Dye Considerations:

1) Want dye to NOT disturb flow

2) Want dye to show up - HIGH VISIBILITY

3) Special techniques

1) Not Disturb flow "How?"

Minute paper -Groups

Keep injection location away from physics of interest, so the velocity of dye won't impact it.

Syringe injection; inject as close as possible

Keep injection velocity matched to flow

Match properties of the two fluids; viscosity, density, temperatures, miscibility


No chemical interaction

Injection direction parallel to flow

'Line priming' make sure that air is not injected by accident

Answers:

- Match fluid properties, including velocity(speed and direction)
 - Density
 - viscosity
 - Polarity; miscibility; (will it mix)
 - pressure
 - Temperature
 - contrast
 - Molecular weight
- No chemical reaction
- Match vorticity as well as velocity
- Inject upstream of test section
- Allow for equalization time
- Use small ports, minimize volume injected,
- Consider location of injection; reveals different physics <http://media.efluids.com/galleries/laminar?medium=113>



by Henri Werlé, at
ONERA = NASA of France
Master of colored dye streams

Avoid injection altogether: Coat object with alcohol-dye mixture or water soluble paint, let dry, then tow in tank. Shows vorticity layer, wake, boundary layer

Or coat short strings on a rake. OK for low speed, short run times

- Match fluid properties between dye and medium
 - Density
 - Temperature
 - Viscosity
 - Surface tension (match intermolecular forces)
 - Minimize chemical reactions (unless needed)
 - Diffusion coefficient

N.J. Mueschke et al., "Measurements of molecular mixing in a high-Schmidt-number Rayleigh-Taylor mixing layer," *Journal of Fluid Mechanics* 632, J. Fluid Mech. (UK) (2009): 17-48.

(a)

Salt water;
nigrosine dye



N.J. Mueschke et al., "Measurements of molecular mixing in a high-Schmidt-number Rayleigh-Taylor mixing layer," *Journal of Fluid Mechanics* 632, J. Fluid Mech. (UK) (2009): 17-48.




FIGURE 4. Photographs (contrast enhanced for visualization) of the buoyancy-generated mixing layer in a typical water channel experiment. (a) Nigrosine dye was added to the top stream. (b) Phenolphthalein was added to the bottom stream, which changes to its pink form as the two streams molecularly mix (here, "pink" is shown as dark regions within the mixing layer).

Ph indicator, shows where mixing got to molecular level.

Tough to match all these properties- Dye properties are different from ambient fluid.

To match density, try a premix:

For food dye in water, premix dye (dense, sinks in water) and isopropyl alcohol (floats) to get neutral buoyancy in water

The concentration gradient between dyed and undyed fluid may cause dye to diffuse too rapidly, misleading when studying mixing. Turbulence also causes fast diffusion, making visualization of the overall flow structure difficult. Try some milk or latex paint to slow diffusion.

Famous example:

Cloud tank was invented by Douglas Trumbull to make realistic clouds in 'Close encounters of the third kind' (1980's sci fi). Used many times since

<http://www.youtube.com/watch?v=hxgVKWe5Vm0>

Alberto Seveso: <http://burdu976.com/?portfolio=a-due-colori>

2) Want dye to show up - HIGH VISIBILITY

High Visibility: Want good contrast between dyed and ambient fluid.

Ambient fluid = transparent = NO interaction with light

Dyed fluid = want MAXIMUM interaction with light

Minute paper: list the ways that dye (or any molecule) can interact with light (from external source, later will talk about emitted light)

—